

# CleanCare

Dry Vacuum Product Range 2022



**Numatic**

# CleanCare

**CleanCare** brings **power, performance** and **reliability** to our commercial cleaning product range.




### CleanCare Contents

Eco ReFlo Range	5-7
ProLine Contractor Range	8-9
ProVac Range	10-13
Sanitise Pro Range	14-15
NX300 Pro Cordless Network	16-23
Mains RucSac Range	24-25
Steel Top Range	26-27
MicroLine Range	28-29
Aircraft Range	30-31
Dry Big Capacity Vacuums	32-33
CleanCare Dry Accessories	34



The PBT230NX is equipped with our new NX300 36V Battery Technology, delivering 300Wh capacity with a market-leading 80 minutes of consistent, powerful cleaning, giving you more time to get the job done.

See pages 18-19 for details.



BUILDING on **Sustainability**

“ We recognise the need and **demand for sustainable cleaning solutions**, without compromising **productivity or quality.** ”

**Our Sustainability Formula**



**Why ReFlo Technology?**

Our ReFlo range is engineered from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

ReFlo Technology uses post-industrial plastics from the automotive industry, which are diverted from landfill or incineration.



ERP180 **ECO Vacuum**

Made from up to 75% of the highest quality recycled plastic; equipped with our highest efficiency motor yet.

Delivering the same high-performance, high-quality and long-lasting Numatic results as always...



**SUSTAINABLY Engineered**

Engineered from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

**ADVANCED Efficiency**

Equipped with our most advanced, high-efficiency, high-performance, long-life motor.

**30% ENERGY Saving**

Professional cleaning while reducing energy usage and cost.

**BUILT to Last**

Providing the same tough, heavy-duty Numatic construction as always.

**HANDY Features**

Easy-change plugged cable, on-board tool storage, convenient carry handle and top clip cable tidy.

ERP180



\* Stated figure represents maximum use of recycled plastic in ReFlo Vacuum range, not including kits and accessories.

Comparisons for illustration purposes only.

Model	ERP180
Capacity (L)	8.0
Power Cord (M)	10.0
Motor (W)	420
Suction H <sub>2</sub> O (MM)	1750
Weight (KG)	6.0
Power (Volts AC/Hz)	230 / 50/60
Cleaning Range (M)	26.0
Kit (see page 34)	AS0
Dimensions WxLxH (MM)	340x365x360

**ANNUAL ENERGY USAGE**

Using our 420W high-efficiency motor, the ERP180 Eco delivers powerful cleaning while reducing energy usage and cost.

**30% ENERGY SAVINGS**

420W ERP180 | 620W | 1200W

## EPR170 ECO Vacuum

**A professional, powerful and versatile workhorse packed full of innovative features, for the toughest cleaning.**

High-efficiency, powerful and professional cleaning results every time.

### SUSTAINABLY Engineered

Engineered from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.

### ADVANCED Efficiency

Equipped with our most advanced, high-efficiency, high-performance, long-life motor.

### GREAT FEATURES for the Toughest Cleaning

Includes tough bumper for wall and door protection and large rear wheels for ease of transit.

### COMPACT & Convenient

Equipped with a long cleaning reach, on-board tool storage and stores nearly away.

### HANDY Cable Replacement

A unique plugged cable rewind system for quick and easy changing of cable, if damaged during use.



**30% ENERGY SAVINGS**



### Environmentally Sustainable

Sustainably engineered drum and internal components made from the highest quality, recycled plastic using our innovative, environmentally sustainable ReFlo Technology.


### ReFlo Technology

ReFlo Technology uses high-quality recycled, post-industrial plastics from the automotive industry, which are diverted from landfill or incineration.

Model	EPR170	EPR170 Hepa
Capacity (L)	7.2	7.2
Power Cord (M)	12.5	12.5
Motor (W)	420	420
Suction H <sub>2</sub> O (MM)	1750	1750
Weight (KG)	8.1	8.3
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	31.0	31.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	360x370x390	

## EPR170H ECO HEPA Vacuum

**Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency.**



### Advanced HEPA13 Filtration

#### 1 HEPA13 Filter Cartridge

Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.

#### 2 TriTex Filter

Traps fine dust within its high-efficiency, triple-layer construction.

#### 3 Triple-layer HepaFlo Filter Bag

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.

# PSP180/240/370 Compact & Convenient

The ProSave Plugged Range is packed full of great features and provides powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of 3 sizes.

## POWERFUL Cleaning

Powerful and efficient cleaning technology from a high-efficiency, long-life motor.

## COMPACT & Convenient

Packed full of great features, including a convenient carry handle, on-board cable storage, and handy cable replacement.

## EASY CLEAN & Safe Emptying

High-efficiency, triple-layer HepaFlo filter bags.

## GREAT FEATURES

for the Toughest Cleaning

Includes tough bumper for wall and door protection (PSP240/370) and large rear wheels for ease of transit.

## STORES Neatly Away

On-board tool storage means tools are always to hand and neatly packed away.




PSP180



PSP180

PSP240

PSP370




Upholstery Brush Tool



On-board Tool Storage and Wand Docking



Dusting Tool



Easy Cable Replacement

Model	PSP180	PSP240	PSP370
Capacity (L)	8.0	9.0	15.0
Power Cord (M)	10.0	10.0	10.0
Motor (W)	620	620	620
Suction H <sub>2</sub> O (MM)	2300	2300	2300
Weight (KG)	6.0	8.0	9.0
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60	230 / 50/60
Cleaning Range (M)	26.0	26.0	26.0
Kit (see page 34)	AH0	AH0	AH0
Dimensions WxLxH (MM)	340x365x360	360x370x415	360x370x510

# PPR170 Tough & Professional

The PPR170 delivers the performance you need with advanced features for powerful, efficient and long-life cleaning.

Compact and convenient, while still tough and professional.



PPR170



On-board Tool Storage and Wand Docking

# PPR170H HEPA

The PPR170 HEPA combines convenience and versatility with high-efficiency HEPA13 filter cartridge.

Delivering a certified HEPA13 standard of filtration down to 0.3 microns at 99.95% efficiency.



PPR170H



**COMPACT & Convenient**  
Equipped with a long cleaning reach, on-board tool storage and stores nearby away.

**GREAT FEATURES for the Toughest Cleaning**  
Includes tough bumper for wall and door protection and large rear wheels for ease of transit.

**EASY, CLEAN & Safe Emptying**  
High-efficiency, triple-layer HepaFlo filter bags.

**POWERFUL Cleaning**  
Powerful, efficient and long-life cleaning technology.


**HANDY CABLE Replacement**  
A unique plugged cable rewind system for quick and easy changing of cable, if damaged during use.



Combi Floor Tool on Carpet



Combi Floor Tool on Hard-floor




12.5m Cable Rewind and Storage System



## Advanced HEPA13 Filtration

- 1 HEPA13 Filter Cartridge**  
Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.
- 2 TriTex Filter**  
Traps fine dust within its high-efficiency, triple-layer construction.
- 3 Triple-layer HepaFlo Filter Bag**  
3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.

The HEPA13 filter cartridge captures and traps fine particles, such as pollen, dust mites and pathogens, bacteria, reducing the risk of recirculation of these particles back into the environment.



High-efficiency, pleated glass media construction.

Model	PPR170	PPR170H
Capacity (L)	7.2	7.2
Power Cord (M)	12.5	12.5
Motor (W)	620	620
Suction H <sub>2</sub> O (MM)	2300	2300
Weight (KG)	8.1	8.3
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	31.0	31.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	360x370x390	360x370x390

## PPR240/370 The Perfect All-rounder A professional, tough and versatile workhorse.

The ProVac Plugged Rewind is packed full of innovative features and a smile of course!



PPR370

PPR240

### POWERFUL Cleaning

Powerful, efficient and long-life cleaning technology.

### MORE CLEANING Productivity

Long cleaning reach with 12.5m cable, meaning less time unplugging and more time for cleaning.

### HUGE Capacity

Less emptying with a capacity up to x8 bigger than many bagless vacuums.

### BUILT to Last

Professional, tough and versatile workhorse full of innovative features.

### STORES NEATLY Away

On-board tool storage means tools are always to hand and neatly packed away.

## PPT220/390 Trolley Vacuum An innovative trolley style vacuum design providing ease of handling and convenience.

Lift-off storage caddy for all your cleaning essentials.



Swing and Lift-off Caddy System



PPT220

PPT390

### EASE of Transit

Large real wheels, telescopic pull handle and lift-off storage caddy.

### INCREASE Productivity

Keep your cleaning products on-board and always on-hand.

### MORE CLEANING Productivity

Long cleaning reach with 12.5m cable, meaning less time unplugging and more time for cleaning.

### EASY, CLEAN & Safe Emptying

High-efficiency, triple-layer HepaFlo filter bags.

### HANDY CABLE Replacement

NuCable system for quick and easy changing of cable.




On-board Tool Storage and Wand Docking

Model	PPR240	PPR370
Capacity (L)	9.0	15.0
Power Cord (M)	12.5	12.5
Motor (W)	620	620
Suction H <sub>2</sub> O (MM)	2300	2300
Weight (KG)	9.0	9.0
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	31.0	31.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	360x370x415	360x370x510



Long 12.5m Hi-Vis Cable to Keep you Cleaning for Longer



Telescopic Extending Handle for Ease of Transit



PPT Safe and Secure Docking System

Model	PPT220	PPT390
Capacity (L)	9.0	15.0
Power Cord (M)	12.5	12.5
Motor (W)	620	620
Suction H <sub>2</sub> O (MM)	2300	2300
Weight (KG)	12.3	12.6
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	31.0	31.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	355x355x615	355x355x655

**NEW** NSU370 **Sanitise Pro**

**A high-pressure misting disinfection system, the NSU370 and RSU150NX Sanitise Pro range delivers 99.999% efficiency in inactivating and destroying pathogens.\***



**PRECISION Mist**

Delivers a quick-drying (under 10mins) droplet, typically 65-75 microns in diameter onto surfaces.

**HIGH POWER Pump**

Powered by high-performance 15bar / 217psi fluid pump designed and engineered for extended use in commercial environments.

**HUGE 5 Litre Capacity**

Convenient and secure internal solution tank. Easy to fill and out of the way during use.

**HIGH PRESSURE Vortex**

On entering the lower-pressure ambient air, the high-pressure creates a vortex effect. This reduces particle speed, displaces pathogens and increases coverage across surfaces and touchpoints.

High-performance, long-life stainless steel nozzle delivers consistent fine mist.

**SAFER Cleaning**

Minimise the risk of slips, trips and falls with no cable, making it perfect for day cleaning.




Working in conjunction with **TECCARE®** Antimicrobial Technologies

Whilst we recommend using TECcare® Control, the Sanitise Pro System is fully compatible with disinfectant solutions based on Quaternary Ammonium Salts or Hypochlorous Acid using appropriate dilution levels. Use of other chemical / disinfectant solutions may invalidate warranty.\*

\*99.999% effective in inactivating and destroying pathogens when using complete Sanitise Pro System. System comprises NSU370 / RSU150NX Mist Unit applying TECcare® Control Disinfectant Solution.

**Please note:** Do not spray electrical items such as computers, monitors or electrical sockets at close distances.

Model	NSU370
Capacity (L)	5.0
Power Cord (M)	10.0
Motor (W)	45
Flow (ML/MIN)	150
Droplet Size (MICRONS)	65-75
Cleaning Range (M)	12.0
Weight (KG)	7.2
Hose Length (M)	2.2
Spray Distance Optimum (CM)	100
Max Pump Pressure (BAR/PSI)	15 / 217
Dimensions WxLxH (MM)	360x370x510



**NEW** RSU150NX **Sanitise Pro**

With the ability to sanitise large areas, quick-drying mist and consistent results, the Sanitise Pro range provides a simple solution to many of today's cleaning challenges.



**OPTIMUM User Comfort**

A fully adjustable 5-point harness, providing complete comfort for any user.

**STAY CLEANING For Longer**

With a 6 hour runtime and 60 minute fast charge, the RSU150NX is always ready to go.

**NX300 Network**

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

**HIGH PRESSURE Vortex**

On entering the lower-pressure ambient air, the high-pressure creates a vortex effect. This reduces particle speed, displaces pathogens and increases coverage across surfaces and touchpoints.

High-performance, long-life stainless steel nozzle delivers consistent fine mist.

**EASY Refill**

Removable tank for easy refill holds up to 5L of solution, delivering productivity of 1200m2/hr.



Model	RSU150NX
Capacity (L)	5.0
Weight (KG)	13.0
Motor (W)	45
Flow (ML/MIN)	140
Droplet Size (MICRONS)	60-70
Hose Length (M)	1.5
Tank Empty (MINS)	31
Battery Life (HRS)	6
Spray Distance Optimum / Max (CM)	100 / 200
Max Pump Pressure (BAR/PSI)	15 / 217
Dimensions WxLxH (MM)	330x330x570



# The Next Generation of Battery Technology



numatic.com/NX300

**NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless raises productivity levels, saving time and money.**



**Smart Safe Charge System**

Built-in battery status and health check safety system. The SoH (State of Health) system monitors multiple parameters ensuring battery safety.

**Maximum Energy Deployment**

Delivering power from cell to machine with minimum power loss via high-quality welded nickel power rails.

**Integrated Heatsink Casing**

Quickly and efficiently cools the pack in use, optimising delivery of power.

**Integrated Cooling Design**

Keeping cool allows maximum power delivery, the clever NX300 pack design eliminates air pockets acting as an insulation transmitting heat directly out of the pack.

**Integrated Handle**

Quickly and easily hot swap batteries across the Pro Cordless Network.

**NBV190NX**  
Page 19



**NBV240NX**  
Page 19



**PBT230NX**  
Page 18



**RSB150NX**  
Page 20



**RSU150NX**  
Page 15



**NEW TTB3045NX**



**TTB1840NX**



**244NX**



**Enhanced ENERGY STORAGE**

Research and development in cell chemistry and a newly developed x30 cell design delivers a 60% increase in available energy. The NX300 battery truly delivers on power with 300Wh of energy.

**ONE FITS ALL Productivity**

The convenience, safety and power of Pro Cordless, with reduced costs and lower maintenance from a single battery and charger system.

**RUNTIME**

Each product in the Pro Cordless Network is engineered to optimise the NX300 battery energy storage, providing the right balance of runtime and power for each cleaning task.

**1 HOUR Fast Charge**

Recharged to 80% in an hour\* and ready to go for every product in the NX300 Pro Cordless Network.

**COST Effective**

Made for the long haul, the NX300 battery won't let you down, engineered and tested for commercial use delivering up to 2500 charge cycles.

\* Higher ambient temperatures may increase charge time.



Quick and Easy Battery Change

Model	Weight (KG)	Battery Capacity (Wh)	Charge Time (HR)	Lifecycle
NX300	2.0	300	1 - 80% / 2 - 100%	Up to 2500

## Power the Entire Fleet with NX300 Pro Cordless Network

**More Time to Clean**

Switching from corded to cordless reduces overall cleaning time every day, maximising productivity with no need to keep plugging and unplugging.



**No Cable Trips**

Safe and unobtrusive cleaning with no cable, making it the ideal solution to minimise the risk of slips, trips and falls.



**Lower Energy Cost**

High-efficiency cleaning delivers extended runtime, expanding commercial operation and applications with lower annual energy usage.



**No Testing Required**

No need for high-cost PAT testing on multiple corded machines when switched over to cordless.



**Lower Noise**

Minimising distractions and interruptions with lower noise levels compared to corded machines.



**All Hours Cleaning**

Combining total cordless freedom, powerful and professional cleaning results. Perfect for day cleaning and safe operation in public areas with high footfall.



NBV190NX/240NX, PBT230NX **Cordless Convenience**  
**Cordless cleaning with total freedom of operation and convenience with our cordless range, equipped with our new NX300 36V Battery Technology and 350W digital brushless motor.**

Perfect for day cleaning and safe operation in public areas, increasing productivity and cleaning standards for all.



**CLEAN** for Longer

New NX300 36V Battery Technology delivers 80mins of consistent powerful cleaning.

**PERFORMANCE** You Can Trust

Our most powerful cordless motor yet, delivering a 40% increase in airflow and suction.

**MAXIMUM** Productivity

Combining total cordless freedom, powerful and professional cleaning results.

**NX300** Network

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

**SAFER** Cleaning

Minimise the risk of slips, trips and falls with no cable, making it perfect for day cleaning.



NBV190NX



NBV240NX



Off-board Charging Station

PBT230NX

**NX300 Pro Cordless Network**

The NX300 battery packs can be used across the growing Pro Cordless Network.



Quick and Easy Battery Change

**Increased Productivity**  
 Recharge to 80% in just 1 hour, providing continuous non-stop cleaning.

**Ease of Use**  
 Easy-reach carry handle and quick-release button for fuss-free battery change and charging.

**Market-Leading Runtime**  
 Market-leading 80 minutes of consistent, powerful cleaning, giving you more time to get the job done.



Lift-off Caddy



Upholstery Tool



Dusting Tool

Model	NBV190NX	NBV240NX	PBT230NX
Capacity (L)	8.0	9.0	9.0
Power (Lithium Bat. V)	36	36	36
Motor (W)	350	350	350
Suction H <sub>2</sub> O (MM)	1896	1896	1896
Runtime (MIN)	Hi 50 / Lo 80		
Charge Time (HR)	80% - 1 / 100% - 2		
Weight (KG)	7.7	8.1	10.5
Kit (see page 34)	AA29E	AA29E	AA29E
Dimensions WxLxH (MM)	340x340x340	340x340x415	400x450x615

# RSB150NX Cordless RucSac

Delivering up to 80 minutes of cordless freedom, a 40% increase in airflow and suction, and maximum user comfort.

The RSB150NX provides optimum cleaning productivity with powerful and professional cleaning results.



### MAXIMUM Productivity

Combining total cordless freedom, optimum user comfort and professional cleaning results.

### CLEAN for Longer

New NX300 36V Battery Technology delivers 80mins of consistent powerful cleaning.

### PERFORMANCE You Can Trust

Our most powerful cordless motor yet, delivering a 40% increase in airflow and suction.

### NX300 Network

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

### HARD TO REACH Becomes Easy to Clean

Freedom to clean without limitation; lightweight, comfortable and faster.

RSB150NX



Off-board Charging Station

Model	RSB150NX
Capacity (L)	5.0
Power (Lithium Bat. V)	36
Motor (W)	350
Suction H <sub>2</sub> O (MM)	1896
Runtime (MIN)	Hi 50 / Lo 80
Charge Time (HR)	80% = 1 / 100% = 2
Weight (KG)	8.2
Kit (see page 34)	AA30E
Dimensions WxLxH (MM)	330x330x570



Part of the NX300 Pro Cordless Network

Cordless Convenience



Easy Removable Battery



The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.

Perfect Working Position

Reduce Strain


Cool and Comfortable

Lower-back Support

Perfect Fit

Handy Tool Storage


Simple Height Adjustment




5-Point Harness Stress Relief for Full Back-Support



Integrated Hand Control



On-board Accessories



Easily Adjustable Harness

# RSB150NX HEPA Cordless RucSac

Combining total cordless freedom with our most advanced, certified HEPA13 filtration.

Providing high-efficiency filtration down to 0.3 microns at 99.95% efficiency, while still providing optimum cleaning productivity with powerful and professional cleaning results.



## MAXIMUM Productivity

Combining total cordless freedom, optimum user comfort and professional cleaning results.

## CLEAN for Longer

New NX300 36V Battery Technology delivers 80mins of consistent powerful cleaning.

## PERFORMANCE You Can Trust

Our most powerful cordless motor yet, delivering a 40% increase in airflow and suction.

## NX300 Network

With just one simple battery network, cleaning and swapping batteries between machines has never been easier.

## ADVANCED Filtration


Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. (RSB150NXH model only).




Model	RSB150NXH
Capacity (L)	5.0
Power (Lithium Bat. V)	36
Motor (W)	350
Suction H <sub>2</sub> O (MM)	1896
Runtime (MIN)	Hi 50 / Lo 80
Charge Time (HRS)	80% = 1 / 100% = 2
Weight (KG)	8.6
Kit (see page 34)	AA30E
Dimensions WxLxH (MM)	330x330x570

## Advanced HEPA13 Filtration

- 1 Triple-layer HepaFlo Filter Bag**  
Advanced, 3-stage filtration system cleans and traps fine dust, including allergy triggers and pathogens, eliminating the risk of recirculation and exposure.
- 2 TriTex Filter**  
Traps fine dust within its high-efficiency, triple-layer membrane.
- 3 HEPA13 Filter Cartridge**  
Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.



The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.



# RSV150 Mains RucSac



**Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.**

Providing an extra-long 15m cable and generous 5L dust capacity, there's less stopping to unplug and empty and more time to get the job done.

**INCREASED Productivity**  
Lightweight and compact design providing powerful cleaning results.

**HARD TO REACH Becomes Easy to Clean**  
Freedom to clean without limitation...an absolute must for cleaning in confined spaces.


**OPTIMUM User Comfort**  
Convenience and safety with ergonomically designed comfortable harness.

**CLEAN for Longer**  
With a huge cleaning range and extra-long high-visibility 15m cable.

**LESS LEANING More Cleaning**  
Less stretching, bending down and twisting with the comfort harness, integrated waistbelt and instant on/off operation with simple integrated hand control.

Lightweight and Compact for Increased Productivity

Model	RSV150	RSV150H
Capacity (L)	5.0	5.0
Power Cord (M)	15.0	15.0
Motor (W)	620	620
Suction H <sub>2</sub> O (MM)	2300	2300
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	32.4	32.4
Weight (KG)	7.4	7.8
Kit (see page 34)	AA30E	AA30E
Dimensions WxLxH (MM)	330x330x380	330x330x380



# RSV150HEPA Mains RucSac

**The RSV150 HEPA model delivers a certified HEPA13 standard of filtration down to 0.3 microns at 99.95% efficiency.**



RSV150H model only

Advanced **HEPA13** Filtration

- 1 Triple-layer HepaFlo Filter Bag**  
Advanced, 3-stage filtration system cleans and traps fine dust, including allergy triggers and pathogens, eliminating the risk of recirculation and exposure.
- 2 TriTex Filter**  
Traps fine dust within its high-efficiency, triple-layer membrane.
- 3 HEPA13 Filter Cartridge**  
Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Numatic commercial vacuum series.



RSV150H



Adjustable Harness for Full Back-Support



Breathable Mesh Panel



Integrated Hand Control

## NQS250/NQS250B All Steel Series

Incorporating an all-steel power head, long-life professional TwinFlo high-performance motor and patented MicroTec noise reduction system.

Built to last with the heavy-duty, all-steel construction to endure years of industrial use.

ALL-STEEL



### BUILT to Last

Heavy-duty, all-steel power head.

### POWERFUL & Efficient

Patented MicroTec noise reduction and TwinFlo motor.

### IMPROVE Filtration & Cleanliness

High-efficiency, triple-layer TriTex filtration system, ensuring what goes in, stays in.

### HANDY CABLE Replacement

NuCable system for quick and easy changing of cable.

### OPTIONAL Blower

Blower facility and diffuser attachment. (NQS250B only)

## NVQ240/370/380 Steel Tops

Featuring an all-steel head, the NVQ range not only provides exceptional strength, it's also quiet and efficient.



The NVQ power head incorporates our MicroTec noise reduction system and a TwinFlo high-performance motor with handy NuCable system for quick and simple cable replacement.

Model	NQS250	NQS250B
Capacity (L)	9.0	9.0
Power Cord (M)	10.0	10.0
Motor (W)	780	780
Suction H <sub>2</sub> O (MM)	2350	2350
Weight (KG)	10.0	10.0
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60
Cleaning Range (M)	26.0	26.0
Kit (see page 34)	AS0	AS0
Dimensions WxLxH (MM)	355x355x395	355x355x395



Model	NVQ240	NVQ370	NVQ380
Capacity (L)	9.0	15.0	15.0
Power Cord (M)	10.0	10.0	10.0
Motor (W)	780	780	780
Suction H <sub>2</sub> O (MM)	2350	2350	2350
Weight (KG)	9.65	10.0	11.35
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60	230 / 50/60
Cleaning Range (M)	26.0	26.0	26.0
Kit (see page 34)	AS0	AS0	AS0
Dimensions WxLxH (MM)	360x370x415	355x355x485	355x355x485

## PPH320 Advanced HEPA Filtration

**Advanced features provide exceptional filtration.**

With HEPA13 MicroFilter – achieving 99.95% standard, down to 0.3 micron particle size.

### ADVANCED Filtration

High-efficiency HEPA13 MicroFilter Module.

### POWERFUL Cleaning

High-efficiency, high-performance cleaning with powerful, long-life motor.

### MORE CLEANING Productivity

Huge 12L capacity, less time emptying, more time cleaning.

### EASY, CLEAN & HYGIENIC Emptying

Engineered to clean, trap and retain fine dust during both vacuuming and emptying.

### A TOOL FOR Every Job

Professional and versatile AS0 accessory kit with Stainless Steel tube set. (See page 32).



PPH320



Advanced filtration down to 0.3 microns at 99.95% efficiency

## CRQ370 Cleanroom Filtration

**Compact design providing professional specification and high-filtration.**

With HEPA13 MicroFilter and all-steel motor power head construction.

### ADVANCED Filtration

High-efficiency 5-stage pre and post-motor HEPA13 filtration conforming to ISO 14644-1 Class 5 cleanroom classification.

### BUILT to Last

Professional specification with all-steel motor power head construction.

### MORE CLEANING Productivity

Huge 15L capacity, less time emptying, more time cleaning.

### EASY, CLEAN & SAFE Emptying


High-efficiency, triple-layer HepaFlo filter bags.

### A TOOL FOR Every Job

Professional and versatile A1 accessory kit with Stainless Steel tube set. (See page 32)



CRQ370



Model	PPH320
Capacity (L)	12.0
Power Cord (M)	12.5
Motor (W)	620
Suction H <sub>2</sub> O (MM)	2300
Weight (KG)	10.0
Power (Volts AC/Hz)	230 / 50/60
Cleaning Range (M)	29.6
Most Penetrating Particles Ref EN1822	99.950%
Kit (see page 34)	AS0
Dimensions WxLxH (MM)	335x355x465



H13 HEPA Filtration Module (EN1822)



Easy Replacement Plugged Cable System

Model	CRQ370
Capacity (L)	10.0
Power Cord (M)	10.0
Motor (W)	960
Suction H <sub>2</sub> O (MM)	2300
Weight (KG)	11.5
Power (Volts AC/Hz)	230 / 50/60
Cleaning Range (M)	26.0
Most Penetrating Particles Ref EN1822	99.950%
Kit (see page 34)	A1
Dimensions WxLxH (MM)	355x355x485



Blower Facility and Diffuser



NuCable Plugged System

## RSAV130 Aircraft RucSac

**Designed to clean aircraft and clean them well.**

The RSAV130 is built to last with tough construction and an exacting 400Hz standard of operation, suitable for most aircraft power supply systems.

### INCREASE Productivity

Compact design providing powerful cleaning results.

### HARD TO REACH

Becomes Easy to Clean

Freedom to clean without limitation...an absolute must for cleaning in confined spaces.

### OPTIMUM USER Comfort

Convenience and safety with ergonomically designed harness.

### LESS LEANING More Cleaning

Less stretching, bending down and twisting with the comfort harness, integrated waistbelt and instant on/off operation with simple integrated hand control.

### EASY, CLEAN & SAFE Emptying

High-efficiency, triple-layer HepaFlo filter bags.



RSAV130

## AVQ250/380 Aircraft Vacs

**The AVQ is built to last with tough construction and an exacting 400Hz standard of operation.**

### BUILT to Last

All-steel, deep-drawn power head provides exceptional strength.

### POWERFUL & Efficient

Patented MicroTec noise reduction system and TwinFlo motor.

### EASY, CLEAN & SAFE Emptying

High-efficiency, triple-layer HepaFlo filter bags.

### IMPROVES FILTRATION Cleanliness & Capacity

TriTex filter system provides enhanced filtration.

### HANDY CABLE Replacement

NuCable system for quick and easy changing of cable.



AVQ250

AVQ380



Adjustable Cushioned Waist Strap



Perfect Working Position

Reduce Strain

Cool and Comfortable

Lower-back Support


Perfect Fit

Handy Tool Storage


Simple Height Adjustment



Breathable Mesh Panel



Adjustable Cushioned Shoulder Straps



5-Point Harness Stress Relief for Full Back-Support

Model	RSAV130
Capacity (L)	6.0
Power Cord (M)	18.2
Motor (W)	960
Suction H <sub>2</sub> O (MM)	2400
Weight (KG)	7.37
Power (Volts AC/Hz)	110 / 400
Cleaning Range (M)	43.2
Kit (see page 34)	AA30E
Dimensions WxLxH (MM)	250x360x440



Model	AVQ250	AVQ380
Capacity (L)	9.0	15.0
Power Cord (M)	18.2	18.2
Motor (W)	960	960
Suction H <sub>2</sub> O (MM)	2500	2500
Weight (KG)	10.62	11.82
Power (Volts AC/Hz)	110 / 400	110 / 400
Cleaning Range (M)	42.8	42.8
Kit (see page 34)	AS4	AS4
Dimensions WxLxH (MM)	340x340x395	355x355x485



TriTex Filtration



290mm FreeFlo Floor Tool



## NVQ570/NVDQ570 Industrial Power

Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

The NVQs are ideal for numerous trades where they must frequently be moved from place to place while still requiring a large and generous working capacity.



NVQ570 / NVDQ570

### UNRIVALLED Performance

Equipped with TwinFlo 2-stage industrial motor.

### BUILT to Last

Heavy-duty Structofoam construction to endure years of industrial use.

### POWERFUL & Efficient

AirFlo filtration directs movement of air to enhance cleaning performance.

### HANDY Cable Replacement

NuCable system for quick and easy changing of cable.

### EASE of Transit

Fitted with fully directional front castors and large rear wheels (900 model only) providing excellent mobility.



HepaFlo Dust Bag and AirFlo System




Easy Replacement Plugged Cable System

### Structofoam

- ✓ Incredibly tough and long-lasting
- ✓ Hard-wearing and chemical-resistant
- ✓ Exceptional strength-to-weight ratio
- ✓ Lightweight and ergonomic structure

Cellular structure provides strength and flexibility



Model	NVQ570	NVDQ570	NVQ900	NVDQ900
Capacity (L)	23.0	23.0	40.0	40.0
Power Cord (M)	10.0	10.0	10.0	10.0
Motor (W)	960	960x2	960	960x2
Suction H <sub>2</sub> O (MM)	2300	2300	2300	2300
Weight (KG)	16.5	18.7	25.2	27.7
Power (Volts AC/Hz)	230 / 50/60	230 / 50/60	230 / 50/60	230 / 50/60
Cleaning Range (M)	26.8	26.8	26.8	26.8
Kit (see page 34)	BA2	BA2	BA2	BA2
Dimensions WxLxH (MM)	415x415x645	415x415x645	490x800x880	490x800x880

## NVQ900/NVDQ900 Industrial Power

### Large Handle

Complete freedom and ease of movement during transit.

### Handle

Lift-off the head with ease when replacing dust bags and filters.

### TwinFlo Motors

Equipped with our TwinFlo 2-stage industrial motor providing unrivalled performance standards.

### 2-Stage Filter

The 2-stage filter system allows for better filtration and capturing finer particles.

### AirFlo Design

Efficiently directs movement of air through the vacuum increasing performance by more than 30% throughout the operating range.



NVQ900 / NVDQ900

### NuCable System

Power cables can be changed without the need for an electrical engineer.

### Tough Structofoam


Heavy-duty Structofoam construction used in both head and body for superb strength and impact resistance.

### Large Rear Wheels

The large rear wheels provide excellent mobility over the toughest of surfaces.

### Front Castors

Excellent mobility with fully directional front castors.



Large Rear Wheels for Excellent Mobility



High Efficiency ProFlo Dry Floor Tool



Hi-Vis Cable

## Dry Kits

**AH0 903754**



601051	Aluminium Tube Bend with NPC Volume Control	912358	280mm ProFlo Combination Floor Tool	601144	65mm Soft Dusting Brush
601024	Aluminium Extension Tube (x2)	601141	Double Taper Hose / Tool Adaptor	601145	150mm Upholstery Tool
914411	2.0m FloMax Conical Hose	601142	240mm Crevice Tool	601146	150mm Slide-on Brush for Upholstery Tool

**AS0 903146**



601008	Stainless Steel Extension Tube (x2)	912358	280mm ProFlo Combination Floor Tool	601144	65mm Soft Dusting Brush
601052	Stainless Steel Tube Bend with NPC Volume Control	601141	Double Taper Hose / Tool Adaptor	601145	150mm Upholstery Tool
914411	2.0m FloMax Conical Hose	601142	240mm Crevice Tool	601146	150mm Slide-on Brush for Upholstery Tool

**A1 607301**



601008	Stainless Steel Extension Tube (x2)	902071	300mm Combination Floor Nozzle	601144	65mm Soft Dusting Brush
601052	Stainless Steel Tube Bend with NPC Volume Control	601141	Double Taper Hose / Tool Adaptor	601145	150mm Upholstery Tool
914413	2.0m Parallel Hose	601142	240mm Crevice Tool	601146	150mm Slide-on Brush for Upholstery Tool

## Specialised Kits

**BA2 607164**



602931	Aluminium Tube Bend	602102	2.4m NuFlex Threaded Hose	602256	65mm Soft Dusting Brush with Tube Adaptor
602930	Aluminium Extension Tube (x2)	602384	400mm ProFlo Brush / Rubber Floor Tool	602160	305mm ABS Crevice Tool

**AA30E 607395**



601051	Aluminium Tube Bend with NPC Volume Control	913003	1.2m NuFlex RSV / RSB Threaded Hose	601141	Double Taper Hose / Tool Adaptor
601024	Aluminium Extension Tube (x2)	912358	280mm ProFlo Combination Floor Tool	601144	65mm Soft Dusting Brush

**AA29E 607391**



601051	Aluminium Tube Bend with NPC Volume Control	912358	280mm ProFlo Combination Floor Tool	601144	65mm Soft Dusting Brush
601024	Aluminium Extension Tube (x2)	601141	Double Taper Hose / Tool Adaptor	601145	150mm Upholstery Tool
914413	2.0m Parallel Hose	601142	240mm Crevice Tool	601146	150mm Slide-on Brush for Upholstery Tool

**AS4 900961**



601052	Stainless Steel Tube Bend with NPC Volume Control	601430	290mm FreeFlo Floor Tool	601144	65mm Soft Dusting Brush
601008	Stainless Steel Extension Tube (x2)	601141	Double Taper Hose / Tool Adaptor	601145	150mm Upholstery Tool
914411	2.0m FloMax Conical Hose	601142	240mm Crevice Tool	601146	150mm Slide-on Brush for Upholstery Tool

Notes section with horizontal lines for writing.

## Head Office

### Numatic International Limited

Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: 01460 68600 [numatic.com](http://numatic.com)

**Numatic International S.A.S**  
13/17 rue du Valengelier  
EAE la Tuilerie, 77500 Chelles  
FRANCE

Tel: 01 64 72 61 61  
[numatic.fr](http://numatic.fr)

**Numatic International  
Schweiz AG.**  
Sihlbruggstrasse 3A  
6340 Baar  
SCHWEIZ

Tel: 041 768 07 60  
[numatic.ch](http://numatic.ch)

**Numatic International SLU**  
La Forja, 41, 08840  
Viladecans, Barcelona  
SPAIN

Tel: 34 936 472 222  
[numatic.es](http://numatic.es)

**Numatic International (Pty.) Ltd.**  
16th & Pharmaceutical Roads  
Midrand, Gauteng, S.A. 1685  
SOUTH AFRICA

Tel: 0861 686 284  
[numatic.co.za](http://numatic.co.za)

**Numatic International ULDA**  
Rua da Boa Viagem, 177  
4470 - 210 Moreira Maia  
PORTUGAL

Tel: 351 220 047 700  
[numatic.pt](http://numatic.pt)

**Numatic International Italy SRL**  
Via Luigi Galvani, 2  
Z.I. Talponedo  
33080 Porcia (PN)  
ITALY

Tel: (39) 0434 046211  
Web: [numatic.it](http://numatic.it)

**Numatic International GMBH**  
Fränkische Straße 15-19,  
30455 Hannover  
DEUTSCHLAND

Tel: 05 11 98 42 16 0  
[numatic.de](http://numatic.de)

**Numatic International BV**  
Vennootsweg 15  
2404 CG, Alphen aan den Rijn  
NEDERLAND

Tel: 0172 467 999  
[numatic.nl](http://numatic.nl)

# Numatic