

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 10/03/2021 Version: 10.4

Generated : 02/03/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Trade name	:	STORM FORCE
UFI	:	KVK3-80NH-Q00P-MEYG
Product code	:	T048
Type of product	:	Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture : Professional use

: For professional use only

: Disinfectant-cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SELDEN RESEARCH LIMITED

STADEN LANE BUXTON DERBYSHIRE SK17 9RZ UNITED KINGDOM Tel: 01298 26226 Eav

Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

SELDEN EUROPE B.V.

WATERMOLEN 13 6229 PM MAASTRICHT NEDERLAND Tel: +31 (0) 43 363 42 89 Email: sds@selden.eu

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

Tel: +31 (0) 43 363 42 89

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Hazard pictograms (CLP)



: Danger

: disodium metasilicate

: H314 - Causes severe skin burns and eye damage.

H412 - Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear eve protection, protective gloves.
	P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water or shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P315 - Get immediate medical advice/attention.
	P405 - Store locked up.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 (REACH-no) 01-2119449811-37	0.1 – 1	Skin Corr. 1B, H314 STOT SE 3, H335
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2 (REACH-no) 01-2119965180-41	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Alcohol Alkoxylate	· ,	(1 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">(10 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" th=""></c></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Get medical advice/attention if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.	
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Document generated @ 02/03/2022 17:12:26	Page 2 of 9	

STORM FORCE		T048
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Burns. : Causes serious eye damage. : Burns.	
4.3. Indication of any immediate medical attention and special treatment needed		
Treat symptomatically.		

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the substa	nce or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders Protective equipment : Use personal protective equipment as required. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Collect spillage. Kethods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and stora	ge	
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	Avoid contact with skin and eyes.Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging	 Does not require any specific or particular technical measures. Keep container closed when not in use. Oxidizing agent. Strong acids. Metals. Keep only in original container. 	
7.3. Specific end use(s)		

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses. EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Not required for normal conditions of use	

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
Physical state	: Liquid	
Appearance	: Liquid.	
Colour	: Colourless.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: 12.7	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: ≥ 100 °C	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 1.01	
Solubility	: Soluble in water.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological	information	
11.1 Information on toxicologic	cal effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Document generated @ 02/03/2022 17:12:26		

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.7
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified
disodium metasilicate	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Alcohol Alkoxylate (166736-08-9)	
LC50 - Fish [1]	10 – 100 mg/l
EC50 - Crustacea [1]	10 – 100 mg/l
ErC50 other aquatic plants	10 – 100 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

Safety Data Sheet

.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1760 : UN 1760 : UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA)	 CORROSIVE LIQUID, N.O.S. CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s. UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM METASILICATE, QUATERNARY AMMONIUM COMPOUNDS), 8, III, (E) UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM METASILICATE, QUATERNARY AMMONIUM COMPOUNDS), 8, III UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM METASILICATE, QUATERNARY AMMONIUM COMPOUNDS), 8, III UN 1760 Corrosive liquid, n.o.s., 8, III
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8 :
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	
IATA Transport hazard class(es) (IATA) Danger labels (IATA)	8 : 8 : :
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA)	: III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: No : No : No supplementary information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport	
Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	: TP1, TP28
(ADR)	
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	[:] 80
	00
	1760
	1700
Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: В
Transport by sea	. 5
	: 223, 274
Transport by sea	
Transport by sea Special provisions (IMDG)	: 223, 274
Transport by sea Special provisions (IMDG) Limited quantities (IMDG)	: 223, 274 : 5 L
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	: 223, 274 : 5 L : E1
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	: 223, 274 : 5 L : E1 : P001, LP01
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7 : TP1, TP28
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7 : TP1, TP28 : F-A
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7 : TP1, TP28 : F-A : S-B
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7 : TP1, TP28 : F-A : S-B : A
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG)	: 223, 274 : 5 L : E1 : P001, LP01 : IBC03 : T7 : TP1, TP28 : F-A : S-B : A
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes.
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport PCA Excepted quantities (IATA)	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes. E1
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes. E1 Y841 1L 852
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport PCA Excepted quantities (IATA) PCA Limited quantity (IATA)	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes. E1 Y841 1L
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes. E1 Y841 1L 852
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport PCA Excepted quantities (IATA) PCA limited quantities (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA)	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes. E1 Y841 1L 852 5L 856 60L
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) Air transport PCA Excepted quantities (IATA) PCA limited quantities (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) PCA max net quantity (IATA) PCA packing instructions (IATA)	 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A S-B A Causes burns to skin, eyes and mucous membranes. E1 Y841 1L 852 5L 856

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
non-ionic surfactants, cationic surfactants	<5%

15.1.2. National regulations

United Kingdom	
British National Regulations	: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No
	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH).
	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
	Detergent Regulation (648/2004/EC).

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Acute 1Hazardous to the aquatic environment — Acute Hazard, Category 1Aquatic Chronic 1Hazardous to the aquatic environment — Chronic Hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSTOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H314Causes severe skin burns and eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Full text of H- and EUH-statements:		
Aquatic Chronic 1Hazardous to the aquatic environment — Chronic Hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSTOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSTOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Irrit. 2Serious eye damage/eye irritation, Category 2Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSTOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSTOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
STOT SE 3Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritationH302Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Harmful if swallowed.H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
H314Causes severe skin burns and eye damage.H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H318Causes serious eye damage.H319Causes serious eye irritation.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.	
H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.	
H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.	
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.	
H410 Very toxic to aquatic life with long lasting effects.	H335	May cause respiratory irritation.	
	H400	Very toxic to aquatic life.	
H412 Harmful to aquatic life with long lasting effects.	H410	Very toxic to aquatic life with long lasting effects.	
	H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.